



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/810,358

03/26/2004

Ker-Sang Chen

9188R&

1244

27752 7590 01/23/2009
THE PROCTER & GAMBLE COMPANY
Global Legal Department - IP
Sycamore Building - 4th Floor
299 East Sixth Street
CINCINNATI, OH 45202

EXAMINER

SHAFFER, SHULAMITH H

ART UNIT

PAPER NUMBER

1647

MAIL DATE

DELIVERY MODE

01/23/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10810358	3/26/2004	CHEN ET AL.	9188R&

THE PROCTER & GAMBLE COMPANY
Global Legal Department - IP
Sycamore Building - 4th Floor
299 East Sixth Street
CINCINNATI, OH 45202

EXAMINER

SHULAMITH H.. SHAFER

ART UNIT	PAPER
1647	20090116

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This communication is in response to a telephone call from attorney Christen Kohler on 12 January 2008. The Office Action (non-final) mailed 19 December 2008 contained a typographical error on form PTOL-326, the Office Action Summary. The shortened statutory period for reply is set to expire 3 months from the mailing date, not 1 month. The Examiner regrets any confusion as a result of the inadvertant typographical error.

Shulamith Shafer
Art Unit 1647

/Manjunath N. Rao, /
Supervisory Patent Examiner, Art Unit 1647